

[illegible]



## Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	Boak 20 S 44 E 4.90			
a	W Oak 18 S 19 N 5.20			
B	Put in mound			
b				
C	W Oak 22 S 21 E 3.50			
c	do 18 S 10 N 3.57			
D	Boak 20 S 15 N 86			
d	W Oak 16 S 14 E 4.10			
E	Boak 18 S 30 N 104			
e	R do 24 S 36 E 1.92			
F	W Oak 26 S 36 N 56			
f	No other near			
G	Boak 10 S 48 E 5.58			
g	do 20 S 17 N 7.20			
H	Hickory 12 S 31 N 4.20			
h	W Oak 20 S 17 N 4.90			
i	W Oak 8 S 48 N 4.80			
I	No other near			
J	W Oak 13 S 58 N 7.1			
j	Boak 28 S 78 N 4.6			
K	W Oak 15 S 37 N 6.44			
k	do 30 S 44 N 12.10			
L	W Oak 28 S 87 N 3.09			
l	Boak 24 S 24 N 16.3			
M	Summit 6 Corners			
m	W Oak 13 S 40 N 4.2			
n	Sycamore 22 S 33 N 5.9			
O	W Oak 18 S 14 N 10.4			
o	do 16 S 43 N 4.00			
P	Sugar 22 S 24 N 18			
p	do 07 S 49 N 10			
Q	W Oak 25 S 38 N 4.72			
q	Boak 22 S 34 N 6.1			
r	W Oak 30 S 40 N 1.32			
R	do 25 S 48 N 9.4			
r	W Oak 27 S 33 E 4.44			
S	do 18 S 73 N 6.210			
s	Summit 16 S 80 N 6.0			
t	Cherry 18 S 69 E 7.3			
U	Boak 16 S 77 N 7.2			
u	do 15 S 45 E 6.63			
V	Boak 25 S 44 E 6.0			
v	do 24 S 44 N 8.3			
W	Boak 10 S 20 N 6.0			
w	W Oak 12 S 78 E 3.6			
X	W Oak 12 S 46 N 3.87			
x	W Oak 30 S 46 E 2.0			
Y	Hickory 26 S 40 N 3.0			
y	do 07 S 30 N 7.3			
Z	Boak 25 S 44 N 9.0			
z	Boak 16 S 28 N 1.90			
aa	do 10 S 88 N 2.05			
ab	W Oak 10 S 64 E 3.44			
ac	Hickory 16 S 77 N 6.2			
ad	Sycamore 30 S 24 N 18			
ae	Boak 10 S 20 N 5.7			
af	Boak 14 S 18 N 4.2			
ag	do 36 S 44 E 2.0			
ah	W Oak 18 S 86 N 5.4			
ai	Boak 17 S 40 N 1.04			
aj	W Oak 21 S 38 N 1.9			
ak	Boak 24 S 48 N 3.5			
al	Guyard 10 S 12 E 3.0			
am	Hickory 12 S 76 E 5.4			

## Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	W Oak 20 S 54 N 3.10			
23, 24, 25, 26,	do 26 S 18 E 3.60			
13, 14, 23, 24,	Hickory 15 S 59 N 5.02			
11, 12, 13, 14,	W Oak 20 S 11 E 2.07			
1, 2, 11, 12,	W Oak 20 S 29 N 86			
26, 27, 34, 35,	do 18 S 44 E 3.4			
22, 23, 26, 27,	Boak 18 S 24 E 2.19			
14, 15, 22, 23,	Put in mound			
10, 11, 14, 15,	W Oak 20 S 17 E 3.2			
2, 3, 10, 11,	do 34 S 66 N 3.1			
27, 28, 33, 34,	W Oak 22 S 3 E 1.00			
21, 22, 27, 28,	do 22 S 57 N 2.90			
15, 16, 21, 22,	Boak 28 S 40 E 1.13			
9, 10, 15, 16,	Boak 22 S 72 N 2.90			
3, 4, 9, 10,	W Oak 16 S 78 N 2.38			
28, 29, 32, 33,	do 24 S 41 E 2.03			
20, 21, 28, 29,	Hickory 18 S 67 E 6.2			
16, 17, 20, 21,	Boak 26 S 81 N 4.1			
8, 9, 16, 17,	Boak 10 S 61 N 0.9			
4, 5, 8, 9,	do 20 S 56 E 3.0			
29, 30, 31, 32,	W Oak 56 S 76 N 7.1			
19, 20, 29, 30,	Boak 20 S 29 E 6.8			
17, 18, 19, 20,	Boak 22 S 57 N 7.7			
7, 8, 17, 18,	Boak 22 S 67 E 3.7			
5, 6, 7, 8,	W Oak 42 S 20 E 2.40			
	Boak 26 S 42 E 4.17			
	Boak 24 S 43 N 2.50			
	W Oak 32 S 42 E 8.7			
	do 22 S 66 E 5.70			
	Boak 30 S 54 N 1.50			
	W Oak 24 S 66 E 2.37			
	Boak 30 S 78 E 1.61			
	do 28 S 77 N 4.33			
	Boak 16 S 72 N 4.50			
	W Oak 18 S 47 N 8.07			
	Guyard 18 S 38 E 5.7			
	W Oak 22 S 36 N 6.1			
	Hickory 16 S 21 N 3.38			
	W Oak 18 S 74 E 5.07			
	W Oak 16 S 37 N 2.00			
	Boak 26 S 23 E 3.47			
	W Oak 20 S 12 N 4.13			
	do 22 S 17 E 3.33			
	Hickory 14 S 75 N 4.06			
	Boak 14 S 48 E 2.28			


## Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	Boak 26 S 64 E 0.3			
2	W Oak 28 S 79 N 8.9			
3	do 28 S 44 N 9.1			
4	do 24 S 77 N 1.51			
5	W Oak 20 S 46 N 3.2			
6	do 26 S 78 E 1.44			
7	W Oak 26 S 48 N 3.5			
8	W Oak 28 S 35 E 2.5			
9	Guyard 18 S 156 N 2.7			
10	Hickory 6 S 59 E 2.8			
11	Boak 14 S 44 N 2.07			
12	W Oak 30 S 12 E 4.0			
13	Aspen 20 S 62 E 3.9			
14	W Oak 28 S 31 N 4.3			
15	W Oak 20 S 48 N 5.3			
16	do 20 S 58 E 4.1			
17	Hickory 4 S 71 E 6.9			
18	Boak 22 S 23 N 1.45			
19	Boak 22 S 82 E 9.9			
20	W Oak 18 S 37 N 3.24			
21	W Oak 24 S 28 E 4.71			
22	No other convenient			
23	Boak 14 S 76 E 1.72			
24	No other near			
25	W Oak 16 S 30 N 7.7			
26	do 16 S 32 E 4.47			
27	Hickory 12 S 66 E 2.04			
28	Boak 22 S 43 N 2.00			
29	Boak 22 S 20 E 2.1			
30	W Oak 20 S 43 E 2.03			
31	W Oak 28 S 48 E 1.52			
32	do 22 S 8 E 4.10			
33	Hickory 16 S 77 N 5.0			
34	do 14 S 48 E 6.7			
35	Boak 16 S 77 N 2.44			
36	do 16 S 64 E 1.63			
37	Boak 18 S 78 E 6.16			
38	No other convenient			
39	W Oak 18 S 45 E 2.03			
40	Boak 20 S 56 N 2.90			
41	Boak 26 S 77 N 3.03			
42	W Oak 22 S 16 E 3.04			
43	Boak 18 S 73 N 5.47			
44	do 20 S 37 E 1.10			
45	Boak 20 S 58 E 2.37			
46	do 28 S 18 N 2.90			
47	Boak 22 S 81 N 2.67			
48	W Oak 20 S 79 N 0.10			
49	Boak 20 S 82 E 9.24			
50	No other near			
51	Boak 18 S 45 N 4.09			
52	No other convenient			
53	Put in mound			
54	Boak 24 S 20 E 3.3			
55	do 24 S 33 N 6.7			
56	Boak 26 S 11 E 4.18			
57	Guyard 18 S 49 N 2.3			
58	W Oak 14 S 61 N 1.50			
59	Boak 16 S 33 E 2.32			
60	W Oak 18 S 5 E 6.28			
61	Hickory 18 S 71 N 4.00			
62	Boak 28 S 56 E 1.00			
63	W Oak 30 S 15 N 3.1			
64	Boak 24 S 68 N 1.10			
65	W Oak 16 S 19 N 1.34			
66	Sculpture 26 S 40 N 2.50			
67	No other near			
68	Put in mound			
69	Put in mound			

Cass



Township N<sup>o</sup> 29 N. Range N<sup>o</sup> 1 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>



Surveyed in 1833. by Thomas Brown Deputy Surveyor.

I certify that the above is a true copy of the  
Original plat in this Office.  
Surveyor General's Office.  
Detroit Nov. 1. 1849. } Lucius Lyon,  
Sur. Genl.